

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A cellular phone comprising:
a first casing that includes a display unit provided on one surface thereof;
a second casing that is pivotable with respect to the first casing, the second casing including a plurality of key pads;
a pivot that enables the first and second casings to be placed in a closed position and in a plurality of open positions to thereby provide for a folding type cellular phone; and
a plurality of attachments each having a substantially similar shape as the first casing and each of which configured to fit over the first casing to thereby envelop the first casing,
wherein an operational state of the cellular phone is automatically set to one of a plurality of possible operational states, based on which of said plurality of attachments is fitted over the first casing.

2. (Previously Presented) The cellular phone according to claim 1,
wherein each of the attachments includes an opening on one surface thereof, for allowing the display unit of the first casing to be viewed from an exterior position when the attachment is fitted over the first casing, and
wherein the respective opening of each of the attachments has a same size as the display unit.

3. (Previously Presented) The cellular phone according to claim 1,
wherein an entirety of the first casing is fitted over by any one of the attachments.

Claims 4. – 8. (Canceled).

9. (Previously Presented) The cellular phone according to claim 1, further comprising a control unit,
wherein a part of the display unit includes a function of a touch panel, and
wherein the control unit controls the touch panel.

Claim 10. (Canceled).

11. (Previously Presented) The cellular phone according to claim 1,
wherein a front surface and a back surface of the first casing includes at least one of a
recess portion and a protruding portion for attaching the attachment securely to the first
casing when any one of the attachments is fitted over the first casing.

Claim 12. (Canceled).

13. (Previously Presented) The cellular phone according to claim 9,
wherein the control unit recognizes attachment of any one of the attachments and a
type thereof, and executes a control operation after confirming a predetermined entry.

14. (Previously Presented) The cellular phone according to claim 9,
wherein, when said any one of the attachments is detached, the control unit returns the
setting conditions for the cellular phone to original ones.

15. (Previously Presented) An attachment attached to a cellular phone that
includes a first casing and a second casing and a pivot mechanism provided between the first
and second casings to allow the first and second casings to pivot with respect to each other,
the attachment comprising:

- a housing shaped the same as the first casing of the cellular phone, wherein the
housing includes:

- a first exterior surface having an opening provided thereon for enabling a display unit
located on the first casing of the cellular phone to be viewed when the attachment is attached
to the cellular phone; and

- a second exterior surface positioned opposite to the first exterior surface;

- a function unit which performs a predetermined function; and

- a control unit that controls the function unit and which changes an operational state of
the cellular phone when the attachment is fitted over the first casing of the cellular phone,

- wherein an opening is provided between the first and second exterior surfaces of the
attachment to thereby allow the attachment to be fitted over the first casing of the cellular
phone.

Claim 16. (Canceled).

17. (Previously Presented) The attachment according to claim 15, wherein the function unit is at least one of a camera, a speaker, a display unit, and a touch panel.

Claim 18. (Canceled).

19. (Previously Presented) The attachment according to claim 15, wherein the opening of the attachment has a predetermined shape that is a same as a shape of the display unit provided on the first casing.

20. (Original) The attachment according to claim 15, wherein the attachment is arranged on a backside of the cellular phone.

21. (Original) The attachment according to claim 20, further comprising a transparent portion of a predetermined shape.

22. (Original) The attachment according to claim 21, wherein the transparent portion is an opening portion.

23. (Original) The attachment according to claim 21, wherein a transparent plate is formed in the transparent portion.

24. (Previously Presented) The attachment according to claim 21, wherein the transparent portion is located at a position corresponding to the display unit on a back of the cellular phone.

25. (Original) The attachment according to claim 24, wherein the transparent portion corresponds to a part of the display unit.

26. (Previously Presented) The attachment according to claim 15, further comprising grooves provided on an interior surface of the attachment,

wherein the attachment is engaged onto the cellular phone by coupling of the grooves of the attachment to recesses provided on an exterior surface of the first casing of the cellular phone.

27. (Original) The attachment according to claim 15,
wherein the attachment is fastened to the cellular phone by means of a screw.

28. (Previously Presented) The attachment according to claim 15, further comprising recesses provided on an interior surface of the attachment,
wherein the attachment is attached to the cellular phone by coupling of the recesses of the attachment to grooves provided on an exterior surface of the first casing of the cellular phone.

29. (Original) The attachment according to claim 15, further comprising a terminal which receives a supply of electric power from the cellular phone.

30. (Original) The attachment according to claim 15,
wherein the cellular phone is of a folding type.

31. (Previously Presented) The attachment according to claim 15,
wherein the second casing of the cellular phone includes a plurality of keypads provided thereon, and wherein the display unit provided on the first casing of the cellular phone is a touch screen.

32. (Previously Presented) A cellular phone to which one of a plurality of detachable attachments is attached,

wherein each of the attachments has a case-like shape with a first exterior surface, a second exterior surface opposite the first exterior surface, first and second sidewalls, and an opening provided within the case-like shape, and

the cellular phone comprises:

a first casing having a substantially same width and height as the attachment;
a second casing pivotably attached to the first casing,

wherein the one of the attachments is fitted over the first casing to thereby attach the one of the attachments to the cellular phone, and

wherein an operational state of cellular phone is automatically set to one of a plurality of possible operational states, based on which of the plurality of attachments is fitted over the first casing.

33. (Previously Presented) The cellular phone according to claim 32, further comprising a control unit,

wherein each of the attachments includes a function unit which performs a predetermined function, and

the control unit controls at least one of a change for a setting conditions and an addition of functions of the cellular phone.

34. (Previously Presented) The cellular phone according to claim 15, wherein the opening provided between the first and second exterior surfaces of each of the attachments has a width that is slightly greater than a width of the first casing of the cellular phone, and wherein the opening has a length that is slightly greater than a length of the first casing of the cellular phone.

35. (Previously Presented) The cellular phone according to claim 32,

wherein the first casing of the cellular phone includes a display unit of a predetermined shape, and

wherein each of the attachments includes an opening provided on the first external surface thereof, the opening having the predetermined shape to enable the display unit to be viewed externally when any one of the attachments is fitted onto the first casing.

36. (Previously Presented) The cellular phone according to claim 32, wherein the second exterior surface extends in a direction orthogonal to the first and second sidewalls with a gap provided for a portion of the second exterior surface.

37. (New) The cellular phone according to claim 1, wherein a display characteristic of the display unit on the first casing is changed to one of a plurality of possible

display characteristics, based on which of the plurality of attachments is attached to the cellular phone.

38. (New) The cellular phone according to claim 1, wherein a sound outputted by the cellular phone is set to one of a plurality of different sounds, based on which of the plurality of attachments is attached to the cellular phone, and wherein the sound to be outputted is at least one of: a) sounds to be output when one of the plurality of keypads are actuated, and b) ringtone sounds indicating an incoming call to the cellular phone.